

Productname : TIRE SHINE PRO      Creationdate : 28.04.20 Version : 2.0  
Ref.Nr.: BDS002343\_3\_20200428 (EN)      Replaces: BDS002343\_20180502

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

TIRE SHINE PRO  
Aerosol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Car Care

### 1.3. Details of the supplier of the safety data sheet

CRC Industries Europe BV  
Touwslagerstraat 1  
9240 Zele  
Belgium  
Tel.: +32(0)52/45.60.11  
Fax.: +32(0)52/45.00.34  
E-mail : hse@crcind.com

Subsidiaries		Tel	Fax
CRC Industries Finland Oy	Smedsgatan 3-5 LT4, PL62, 08101 LOJO	+358/(19)32.921	
CRC Industries France	6, avenue du marais, C.S. 90028, 95102 Argenteuil Cedex	01.34.11.20.00	01.34.11.09.96
CRC Industries Deutschland GmbH	Südring 9, D-76473 Iffezheim	(07229) 303 0	(07229)30 32 66
CRC INDUSTRIES IBERIA S.L.U.	GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTRI. DE HONTORIA, 40195 SEGOVIA	0034/921.427.546	0034/921.436.270
CRC Industries Sweden	Laxfiskevägen 16, 433 38 Partille	0046/31 706 84 80	0046/31 27 39 91

### 1.4. Emergency telephone number

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

**Physical:** Self-reactive substance, type E  
Extremely flammable aerosol.  
Pressurised container: May burst if heated.

Classification is based on test data.



<b>Productname :</b>	TIRE SHINE PRO	<b>Creationdate :</b>	28.04.20 Version : 2.0
<b>Ref.Nr.:</b>	BDS002343_3_20200428 (EN)	<b>Replaces:</b>	BDS002343_20180502

**Health:** Skin sensitization, category 1  
May cause an allergic skin reaction.  
Eye irritation, category 2  
Causes serious eye irritation.

Classification based on calculation method.

**Environment:** Not classified

Classification based on calculation method.

## 2.2. Label elements

### Labelling according to Regulation (EC) No 1272/2008

**Product identifier:** Contains:  
2-methyl-2H-isothiazol-3-one

**Hazard pictogram(s):**



**Signal word:** Danger

**Hazard statement(s):** H222 : Extremely flammable aerosol.  
H229 : Pressurised container: May burst if heated.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.

**Precautionary statement(s):** P102 : Keep out of reach of children.  
P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 : Do not spray on an open flame or other ignition source.  
P251 : Do not pierce or burn, even after use.  
P280 : Wear protective gloves/protective clothing/eye protection/face protection.  
P410/412 : Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
P501-2 : Dispose of contents/container to an authorised waste collection point.

**Supplemental Hazard information:** Contains:  
1,2-benzisothiazol-3(2H)-one  
May produce an allergic reaction.

**Regulation (EC) No 648/2004 on detergents:** aliphatic hydrocarbons 10-25  
non-ionic surfactants < 5 %  
benzisothiazolinone

## 2.3. Other hazards

No information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.



**Productname :** TIRE SHINE PRO  
**Ref.Nr.:** BDS002343\_3\_20200428 (EN)

**Creationdate :** 28.04.20 Version : 2.0  
**Replaces:** BDS002343\_20180502

### 3.2. Mixtures

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Hydrocarbons,C3-4-rich, petroleum distillate Petroleumgas (1,3-butadiene < 0.1%)	01-2119485926-20	68512-91-4	270-990-9	10-25	Press. Gas, Flam. Gas 1	H280,H220	K,G
ammonium carbonate	01-2119985376-22	10361-29-2	233-786-0	<1	Acute Tox. 4, Eye Dam. 1	H302,H318	
Alcohols, C11-14-iso, C13-rich, ethoxylated		78330-21-9	934-084-3	<2.5	Acute Tox. 4, Eye Dam. 1, Aquatic Chronic 3	H302,H318,H412	
1,2-benzisothiazol-3(2H)-one	-	2634-33-5	220-120-9	<0.05	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2	H302,H315,H318,H317,H400	X,R
2-methyl-2H-isothiazol-3-one		2682-20-4	220-239-6	0.001-0.005	Acute Tox. 3, Acute Tox. 2, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 2	H301,H330,H314,H318,H317,H400,H411	M,X

#### Explanation notes

G : exempted from the obligation to register in accordance with art.2(7)of REACH Regulation No 1907/2006

K : not classified as carcinogen, less than 0.1% w/w 1,3-butadiene (Einecs-nr. 203-450-8)

M : M acute = 10

R : substance in plant protection or biocidal product regarded as being registered (art.15 REACH Regulation No 1907/2006)

X : SCL (specific concentration limit)in accordance with art.10 of CLP Regulation No 1272/2008

(\* Explanation phrases : see chapter 16)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Contact with eyes :</b>	IF IN EYES: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical advice/attention.
<b>Contact with skin :</b>	Take off contaminated clothing and wash before reuse. IF ON SKIN: Rinse cautiously with water for several minutes. If skin irritation occurs: Get medical advice/attention.
<b>Inhalation :</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
<b>Ingestion :</b>	Seek medical attention if ill effects occur

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation :</b>	No harmful effects known if used for its intended purpose
<b>Ingestion :</b>	May cause gastrointestinal disturbances
<b>Skin contact :</b>	May cause an allergic skin reaction.



**Productname :** TIRE SHINE PRO  
**Ref.Nr.:** BDS002343\_3\_20200428 (EN)  
**Creationdate :** 28.04.20 Version : 2.0  
**Replaces:** BDS002343\_20180502

**Eye contact :** Symptoms : redness and pain  
Causes serious eye irritation.  
Symptoms : redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General Advice :** If skin or eye irritation occurs: Get medical advice/attention.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C  
Forms hazardous decomposition products  
CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water  
In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing and gloves.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

#### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

### SECTION 7: Handling and storage



**Productname :** TIRE SHINE PRO  
**Ref.Nr.:** BDS002343\_3\_20200428 (EN)  
**Creationdate :** 28.04.20 Version : 2.0  
**Replaces:** BDS002343\_20180502

### 7.1. Precautions for safe handling

Keep away from heat and sources of ignition  
 Take precautionary measures against static discharges  
 Equipment should be earthed  
 Use explosion-proof electrical/ventilating/lighting/.../equipment.  
 Use only non-sparking tools.  
 Do not breathe aerosols or vapours.  
 Ensure adequate ventilation  
 Avoid contact with skin and eyes.  
 Wash thoroughly after use  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Eyewash bottles should be available

### 7.2. Conditions for safe storage, including any incompatibilities

Pressurized container : protect from sunlight and do not expose to temperatures exceeding 50°C.  
 Keep out of reach of children.

### 7.3. Specific end use(s)

Car Care

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits :

No information available

### 8.2. Exposure controls

<b>Control procedures :</b>	Ensure adequate ventilation Keep away from heat and sources of ignition
<b>Personal protection :</b>	Take precautions to avoid contact with skin and eyes when handling the product. It is good practice to wear gloves and to provide adequate ventilation whenever using the product. In all cases handle and use the product in accordance with good industrial hygiene practices.
<b>inhalation :</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
recommended respiratory protection:	Air purifying respirator equipped with organic gas/vapor cartridge (type A)
<b>hands and skin :</b>	When handling the product wear chemical-resistant gloves (standard EN 374). Use a reusable glove with a minimum breakthrough time of 30 minutes. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through.
Recommended gloves:	(neoprene)



**Productname :** TIRE SHINE PRO      **Creationdate :** 28.04.20 Version : 2.0  
**Ref.Nr.:** BDS002343\_3\_20200428 (EN)      **Replaces:** BDS002343\_20180502

recommended breakthrough time > 480 minutes  
Recommended thickness < 0.45 mm  
**eyes :** Wear safety eyewear according to EN 166.  
**Environmental protection:** Avoid release to the environment.  
Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance : physical state :** Propane/butane propelled liquid.  
**colour :** White.  
**odour :** Characteristic odor.  
**pH :** 10  
**Boiling point/range :** 100 °C  
**Flash point :** None  
**Evaporation rate :** Not available.  
**Explosion limits : upper limit :** Not available.  
**lower limit :** Not available.  
**Vapour pressure :** Not available.  
**Relative density :** 0.99 g/cm<sup>3</sup> (@ 20°C).  
**Solubility in water :** Soluble in water  
**Auto-ignition :** > 200 °C  
**Viscosity :** Not applicable.

### 9.2. Other information

**VOC = volatile organic compounds**      145 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Avoid overheating



Productname : TIRE SHINE PRO  
Ref.Nr.: BDS002343\_3\_20200428 (EN)

Creationdate : 28.04.20 Version : 2.0  
Replaces: BDS002343\_20180502

### 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO2

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

acute toxicity:	based on available data the classification criteria are not met
skin corrosion/irritation:	based on available data the classification criteria are not met
serious eye damage/irritation:	Causes serious eye irritation.
respiratory or skin sensitisation:	May cause an allergic skin reaction.
germ cell mutagenicity:	based on available data the classification criteria are not met
carcinogenicity:	based on available data the classification criteria are not met
toxicity for reproduction:	based on available data the classification criteria are not met
STOT-single exposure:	based on available data the classification criteria are not met
STOT repeated exposure:	based on available data the classification criteria are not met
aspiration hazard:	based on available data the classification criteria are not met

### Information on likely routes of exposure:

Inhalation :	No adverse health effects expected
Ingestion :	May cause gastrointestinal disturbances
Skin contact :	May cause an allergic skin reaction.
Eye contact :	Causes serious eye irritation.

### Toxicological data :

No information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Not classified

### Ecotoxicological data:

No information available

### 12.2. Persistence and degradability



Productname : TIRE SHINE PRO  
Ref.Nr.: BDS002343\_3\_20200428 (EN)

Creationdate : 28.04.20 Version : 2.0  
Replaces: BDS002343\_20180502

No experimental data available

### 12.3. Bioaccumulative potential

No experimental data available

### 12.4. Mobility in soil

Soluble in water

### 12.5. Results of PBT and vPvB assessment

No information available

### 12.6. Other adverse effects

No experimental data available  
GWP (global warming potential): 0

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

## SECTION 14: Transport information

### 14.1. UN number

UN-number : 1950

### 14.2. UN proper shipping name

Proper shipping name: AEROSOLS

### 14.3. Transport hazard class(es)

Class: 2.1  
ADR/RID - Classification code: 5F

### 14.4. Packing group

Packing group: Not applicable.

### 14.5. Environmental hazards

ADR/RID - Environmentally  
hazardous: No  
IMDG - Marine pollutant: No





<b>Productname :</b> TIRE SHINE PRO	<b>Creationdate :</b> 28.04.20 Version : 2.0
<b>Ref.Nr.:</b> BDS002343_3_20200428 (EN)	<b>Replaces:</b> BDS002343_20180502

IATA/ICAO - Environmentally hazardous: No

#### 14.6. Special precautions for user

ADR/RID - Tunnelcode:	(D)
IMDG - Ems:	F-D, S-U
IATA/ICAO - PAX:	203
IATA/ICAO - CAO	203

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.  
 Regulation (EC) No 1907/2006 (REACH)  
 Regulation (EC) No 1272/2008 (CLP)  
 Dir. 2013/10/EU, 2008/47/EC amendment of the aerosol dispenser directive 75/324/EEC.

#### 15.2. Chemical safety assessment

No information available

### SECTION 16: Other information

\*Explanation hazard statements: H220 : Extremely flammable gas.  
 H280 : Contains gas under pressure; may explode if heated.  
 H301 : Toxic if swallowed.  
 H302 : Harmful if swallowed.  
 H314 : Causes severe skin burns and eye damage.  
 H315 : Causes skin irritation.  
 H317 : May cause an allergic skin reaction.  
 H318 : Causes serious eye damage.  
 H330 : Fatal if inhaled.  
 H400 : Very toxic to aquatic life.  
 H411 : Toxic to aquatic life with long lasting effects.  
 H412 : Harmful to aquatic life with long lasting effects.

REVISIONS IN CHAPTRE : Classification according to Regulation (EC) No 1272/2008  
 Labelling according to Regulation (EC) No 1272/2008

acronyms and synonyms: TWA = time weight average  
 STEL = short time exposure limit  
 VOC = volatile organic compounds  
 PBT = persistant bioaccumulative toxic  
 vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.



---

<b>Productname :</b>	TIRE SHINE PRO	<b>Creationdate :</b>	28.04.20 Version : 2.0
<b>Ref.Nr.:</b>	BDS002343_3_20200428 (EN)	<b>Replaces:</b>	BDS002343_20180502

---

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

