Regulation EC No 1907/2006 Art.31

Productname: AIRCO KLEEN

Ref.Nr.: BDS002340_3_20190104 (EN)

Creationdate : Replaces:

04.01.19 Version : 3.0 BDS002340_20180727

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

AIRCO KLEEN

Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaners - Precision

1.3. Details of the supplier of the safety data sheet

CRC Industries Europe byba Touwslagerstraat 1 9240 Zele Belgium

Tel.: +32(0)52/45.60.11 Fax.: +32(0)52/45.00.34 E-mail: hse@crcind.com

Subsidiaries		Tel	Fax
CRC Industries Finland Oy	Smedsgatan 3-5 LT4, PL62, 08101 LOJO	+358/(19)32.921	
CRC Industries France	6, avenue du marais, C.S. 90028, 95102 Argenteuil Cedex	01.34.11.20.00	01.34.11.09.96
CRC Industries Deutschland GmbH	Südring 9, D-76473 Iffezheim	(07229) 303 0	(07229)30 32 66
CRC INDUSTRIES IBERIA S.L.U.	GREMIO DEL CUERO-PARC.96, POLIGONO INDUSTR. DE HONTORIA, 40195 SEGOVIA	0034/921.427.546	0034/921.436.270
CRC Industries Sweden	Laxfiskevägen 16, 433 38 Partille	0046/31 706 84 80	0046/31 27 39 91

1.4. Emergency telephone number

CRC Industries Europe, Belgium: Tel.: +32(0)52/45.60.11 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Physical: Aerosol, category 3

Pressurised container: May burst if heated.

Classification is based on test data.

Health: Not classified



Regulation EC No 1907/2006 Art.31

Productname: AIRCO KLEEN

Creationdate: 04.01.19 Version: 3.0 Ref.Nr.: BDS002340_3_20190104 (EN) Replaces: BDS002340_20180727

Classification based on calculation method. **Environment:** Not classified Classification based on calculation method.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Warning		
H229 : Pressurised container: May burst if heated.		
P102 : Keep out of reach of children.		
P210 : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P251 : Do not pierce or burn, even after use.		
P336: Thaw frosted parts with lukewarm water. Do not rub affected area.		
P410/412 : Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.		
1.3 % by mass of the contents are flammable.		
Avoid contact with skin and eyes, in case of contact with liquid product frostbite symptoms may occur.		

648/2004 on detergents: halogenated hydrocarbons> 30 %

perfumes

2.3. Other hazards

No information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable.

3.2. Mixtures

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
trans-1,3,3,3-tetrafluoroprop-1-ene	01-0000019758-54	29118-24- 9	471-480- 0	80- 100	Press. Gas	H280	

^{(*} Explanation phrases : see chapter 16)

SECTION 4: First aid measures

4.1. Description of first aid measures



Regulation EC No 1907/2006 Art.31

Productname: AIRCO KLEEN Creationdate: Ref.Nr.:

04.01.19 Version: 3.0 BDS002340 3 20190104 (EN) Replaces: BDS002340 20180727

Contact with eyes: If substance has got into eyes, immediately wash out with plenty of water

If eye irritation persists: Get medical advice/attention.

Take off contaminated clothing and wash before reuse. Contact with skin:

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Inhalation:

Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion: If swallowed accidentally, do not induce vomiting and seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: Excessive inhalation of solvent vapours may give rise to nausea, headaches

and dizziness

Ingestion: May cause gastrointestinal disturbances

Symptoms: sore throat, abdominal pain, nausea, vomiting

Skin contact: May cause irritation.

Symptoms: redness and pain

Eye contact: May cause irritation.

Symptoms: redness and pain

4.3. Indication of any immediate medical attention and special treatment needed

General Advice: If you feel unwell, seek medical advice (show the label where possible

If symptoms persist always call a doctor

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry agent

5.2. Special hazards arising from the substance or mixture

Aerosols may explode if heated above 50°C Forms hazardous decomposition products CO,CO2

5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water In case of fire, do not breathe fumes

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources Ensure adequate ventilation



Regulation EC No 1907/2006 Art.31

Productname: AIRCO KLEEN

Ref.Nr.: BDS002340_3_20190104 (EN)

Creationdate : Replaces:

04.01.19 Version : 3.0 BDS002340 20180727

Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Do not allow to enter public sewers and watercourses

If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material Place in appropriate container

6.4. Reference to other sections

For further information see section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Equipment should be earthed

Use explosion-proof electrical/ventilating/lighting/.../equipment.

Use only non-sparking tools.

Do not breathe aerosols or vapours.

Ensure adequate ventilation

Avoid contact with skin and eyes.

Wash thoroughly after use

Wear protective gloves/protective clothing/eye protection/face protection.

7.2. Conditions for safe storage, including any incompatibilities

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Keep in a cool, dry, well ventilated place

Keep out of reach of children.

7.3. Specific end use(s)

Cleaners - Precision

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits:

No information available



Regulation EC No 1907/2006 Art.31

Productname: AIRCO KLEEN

Ref.Nr.: BDS002340 3 20190104 (EN) Creationdate: Replaces:

04.01.19 Version: 3.0 BDS002340 20180727

8.2. Exposure controls

Control procedures: Ensure adequate ventilation

Keep away from heat and sources of ignition

Take precautionary measures against static discharges

Take precautions to avoid contact with skin and eyes when handling the Personal protection:

product.

Ensure adequate ventilation

In case of insufficient ventilation, wear suitable respiratory equipment. inhalation: recommended respiratory protection: Air purifying respirator equiped with organic gas/vapor cartridge (type AX)

hands and skin: When handling the product wear chemical-resistant gloves (standard EN 374).

> Use a reusable glove with a minimum breakthrough time of 30 minutes. The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be

changed part-way through.

Recommended gloves: Nitrile

eves: Wear safety eyewear according to EN 166.

Environmental protection: Avoid release to the environment.

Collect spillage.

Consumer exposure

Do not eat, drink or smoke when using this product. protection:

Use only outdoors or in a well-ventilated area.

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(for aerosols data for the product without propellant)

Apperance : physical state : Liquid under pressure.

colour: Colorless.

odour: Characteristic odor. pH: Not applicable.

82 °C Boiling point/range:

Flash point: 12 °C (Closed Cup) **Evaporation rate:** Not applicable.

Explosion limits: upper limit: No UEL was assigned at standard testing conditions(20°C). Exhibits flame

limits at temperatures in excess of 28°C.

lower limit: No LEL was assigned at standard testing conditions(20°C). Exhibits flame

limits at temperatures in excess of 28°C.

Not available. Vapour pressure :

Relative density: 0.787 g/cm3 (@ 20°C).

Auto-ignition: 460 °C

Viscosity: Not applicable.

9.2. Other information

SECTION 10: Stability and reactivity



Regulation EC No 1907/2006 Art.31

Productname: AIRCO KLEEN

Ref.Nr.: BDS002340_3_20190104 (EN)

Creationdate : Replaces:

04.01.19 Version : 3.0 BDS002340_20180727

10.1. Reactivity

No hazardous reactions known if used for its intended purpose

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

10.4. Conditions to avoid

Avoid overheating

10.5. Incompatible materials

Strong oxidising agent

10.6. Hazardous decomposition products

CO,CO2

SECTION 11: Toxicological information

11.1. Information on toxicological effects

acute toxicity:	based on available data the classification criteria are not met
skin corrosion/irritation:	based on available data the classification criteria are not met
serious eye damage/irritation:	based on available data the classification criteria are not met
respiratory or skin sensitisation:	based on available data the classification criteria are not met
germ cell mutagenicity:	based on available data the classification criteria are not met
carcinogenicity:	based on available data the classification criteria are not met
toxicity for reproduction:	based on available data the classification criteria are not met
STOT-single exposure:	based on available data the classification criteria are not met
STOT repeated exposure:	based on available data the classification criteria are not met
aspiration hazard:	based on available data the classification criteria are not met

Information on likely routes of exposure:

Inhalation :	Inhalation of solvent vapours may give rise to nausea, headaches and dizziness
Ingestion :	May cause gastrointestinal disturbances
Skin contact :	Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis Repeated exposure may cause skin dryness or cracking.



Regulation EC No 1907/2006 Art.31

Productname:

AIRCO KLEEN

Ref.Nr.: BDS002340_3_20190104 (EN)

Creationdate : Replaces:

04.01.19 Version : 3.0 BDS002340_20180727

Eye contact :

May cause irritation.

Toxicological data:

No information available

SECTION 12: Ecological information

12.1. Toxicity

Not classified

Ecotoxicological data:

No information available

12.2. Persistence and degradability

No experimental data available

12.3. Bioaccumulative potential

No experimental data available

12.4. Mobility in soil

Miscible with water

12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

No information available

GWP (global warming potential): 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods

National regulations: Disposal should be in accordance with local, state or national legislation

SECTION 14: Transport information



Regulation EC No 1907/2006 Art.31

Productname:

AIRCO KLEEN

Ref.Nr.: BDS002340_3_20190104 (EN)

Creationdate : Replaces:

04.01.19 Version : 3.0 BDS002340_20180727

14.1. UN number

UN-number: 1950

14.2. UN proper shipping name

Proper shipping name: AEROSOLS

14.3. Transport hazard class(es)

Class: 2.2 ADR/RID - Classification code: 5A

14.4. Packing group

Packing group: Not applicable.

14.5. Environmental hazards

ADR/RID - Environmentally No hazardous:

IMDG - Marine pollutant: No

IATA/ICAO - Environmentally No hazardous:

14.6. Special precautions for user

 ADR/RID - Tunnelcode:
 (E)

 IMDG - Ems:
 F-D, S-U

 IATA/ICAO - PAX:
 203

 IATA/ICAO - CAO
 203

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information



Safety Data Sheet Regulation EC No 1907/2006 Art.31

 Productname :
 AIRCO KLEEN
 Creationdate :
 04.01.19 Version : 3.0

 Ref.Nr.:
 BDS002340_3_20190104 (EN)
 Replaces:
 BDS002340_20180727

*Explanation hazard statements: H280 : Contains gas under pressure; may explode if heated. REVISIONS IN CHAPTRE : Classification according to Regulation (EC) No 1272/2008

acronyms and synonyms: TWA = time weight average

STEL = short time exposure limit VOC = volatile organic compounds PBT = persistant bioaccumulative toxic vPvB = very persitant very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties. Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

